

SCIENTIFIC NOTE

**KINZELBACHUS NOM. NOV., A NEW NAME FOR
THE PREOCCUPIED STYLOPID GENUS *ULRICHIA*
KINZELBACH, 1971 (STREPSIPTERA: STYLOPIDAE)****Hüseyin Özdikmen***

* Gazi Üniversitesi, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, 06500 Ankara / TÜRKİYE,
email: ozdikmen@gazi.edu.tr

[Özdikmen, H. 2009. *Kinzelbachus* nom. nov., a new name for the preoccupied stylopid genus *Ulrichia* Kinzelbach, 1971 (Strepsiptera: Stylopidae). Munis Entomology & Zoology 4 (2): 609-610]

One proposed genus name in the family Stylopidae is nomenclaturally invalid, as the genus group name has already been used by a different author in Ostracoda. In accordance with Article 60 of the International Code of Zoological Nomenclature, I propose a substitute name for this genus name.

**Family STYLOPIDAE
Genus *KINZELBACHUS* nom. nov.**

Ulrichia Kinzelbach, 1971. Zoologica. Stuttg. 41 (119): 170. (Insecta: Strepsiptera: Stylopida: Stylopidae: Stylopinae). Preoccupied by *Ulrichia* Jones, 1890. Quart. J. geol. Soc., 46, 544. (Crustacea: Ostracoda: Beyrichiacea: Drepanellidae).

Remarks on nomenclatural change: Kinzelbach (1971) described the genus *Ulrichia* with the type species *Stylops friesei* Hofeneder, 1949 by original designation. It is still used as a valid genus name. It is a monotypic genus which occurs in France, Hungary, Italy and Near east according to Pohl (2007).

Unfortunately, the generic name was already preoccupied by Jones (1890), who had erected the genus *Ulrichia* for a fossil ostracod with the type species *Ulrichia conradi* Jones, 1890 by original designation. It is still used as a valid genus name (e. g. Dojen et al., 2007). In this genus, many species has been described by various authors until now.

Thus, the genus group name *Ulrichia* Kinzelbach, 1971 is a junior homonym of the generic name *Ulrichia* Jones, 1890. So I propose a new replacement name *Kinzelbachus* nom. nov. for *Ulrichia* Kinzelbach, 1971. The name is dedicated to R. K. Kinzelbach who is current author of the preexisting genus *Ulrichia*.

Summary of nomenclatural changes:

***Kinzelbachus* nom. nov.**

pro *Ulrichia* Kinzelbach, 1971 (non Jones, 1890)

Kinzelbachus friesei (Hofeneder, 1949) **comb. nov.**
from *Stylops friesei* Hofeneder, 1949
Ulrichia friesei (Hofeneder, 1949)

LITERATURE CITED

Dojen, C., Valenzuela-Ríos, J. I. & Carls, P. 2007. Lochkovian to Pragian (Lower Devonian) neritic Ostracodes from Nigiella (Zaragoza, Iberian Chains, NE Spain). *Revista Española de Paleontología*, 22 (2), 105-113.

International Commission of Zoological Nomenclature. 1999. International Code of Zoological Nomenclature. Fourth Edition. The International Trust for Zoological Nomenclature, London.

Jones, T. R. 1890. On some Devonian and Silurian Ostracoda from North America, France, and the Bosphorus. *Quarterly Journal of the Geological Society of London*, 46: 534-556.

Kathirithamby, J. 2009. The Biodiversity and Systematics of the entomophagous parasitoid Strepsiptera (Insecta). From: http://atbi.eu/summerschool/files/summerschool/Kathirithamby_Syllabus.pdf

Kinzelbach, R. K. 1971. Morphologische Befunde an Fächerflüglern und ihre phylogenetische Bedeutung (Insecta: Strepsiptera). *Zoologica*, 119 (1&2): 256 pp.

Pohl, H. 2007. Fauna Europaea. Available from: http://www.faunaeur.org/full_results.php?id=170851