

## SCIENTIFIC NOTES

**HOLOTYPE AND PARATYPES DESIGNATIONS OF  
*PHYTOECIA (HELLADIA) HUMERALIS CANERI* ÖZDIKMEN &  
TURGUT, 2010 (CERAMBYCIDAE: LAMIINAE)**

**Hüseyin Özdikmen\***

\* Gazi Üniversitesi, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, 06500 Ankara / TÜRKİYE. E-mail: ozdikmen@gazi.edu.tr

**[Özdikmen, H. 2015. Holotype and paratypes designations of *Phytoecia (Helladia) humeralis caneri* Ozdikmen & Turgut, 2010 (Cerambycidae: Lamiinae). Munis Entomology & Zoology, 10 (1): 300-300]**

*Phytoecia (Helladia) humeralis caneri* was described by Ozdikmen & Turgut (2010) from S Turkey (Osmaniye, Hatay, Gaziantep provinces). Unfortunately, type material was not designated in their work. Therefore, I designate type material for *Phytoecia (Helladia) humeralis caneri*:

Holotype ♂: Hatay prov.: Kırıkhan–Belen road, Kıcı, N 36 28 E 36 16, 481 m, 31.03.2007. Paratypes: Osmaniye prov.: Yaylalık–Türkoğlu road, N 36 17 E 36 37, 701 m, 18.05.2006, 1 specimen; Zorkun road, Çiftmazı, N 37 01 E 36 17, 223 m, 20.05.2006, 1 specimen; Entry of Yarpuz, N 37 03 E 36 25, 930 m, 18.05.2006, 5 specimens; Hasanbeyli, N 37 07 E 36 32, 711 m, 21.04.2007, 3 specimens; Toprakkale, N 37 03 E 36 08, 107 m, 23.04.2007, 3 specimens; Bahçe, Kızlaç village, Aslanlı, N 37 10 E 36 38, 768 m, 21.04.2007, 1 specimen; Hatay prov.: Kırıkhan–Belen road, Kıcı, N 36 28 E 36 16, 481 m, 31.03.2007, 7 specimens; Hassa–Kırıkhan road, 10 km to Kırıkhan, N 36 33 E 36 23, 31.03.2007, 5 specimens; Hassa–Kırıkhan road 20th km, N 36 35 E 36 24, 145 m, 31.03.2007, 1 specimen; Serinyol, N 36 21 E 36 13, 115 m, 30.03.2007, 2 specimens; Alahan castle, N 36 19 E 36 11, 147 m, 30.03.2007, 7 specimens; Akbez, N 36 50 E 36 32, 464 m, 22.04.2007, 9 specimens; Akbez, Gülpınarı plateau, N 36 51 E 36 30, 617 m, 19.05.2006, 1 specimen; Samandağı, Hüseyinli village, N 36 09 E 36 04, 149 m, 20.04.2007, 1 specimen; Samandağı, Üzengili village, N 36 09 E 36 04, 141 m, 20.04.2007, 1 specimen; Gaziantep prov.: Fevzipaşa–İslahiye road, N 37 05 E 36 38, 542 m, 31.03.2007, 26 specimens (Fig. 1).

**LITERATURE CITED**

**Özdikmen, H. & Turgut, S. 2010. An overview on the W-Palaeartic subgenus *Phytoecia (Helladia)* Fairmaire, 1864 with a new subspecies *Phytoecia (Helladia) humeralis caneri* ssp. n. from Turkey (Coleoptera: Cerambycidae: Lamiinae). Munis Entomology & Zoology, 5 (2): 317-343.**




Figure 1. The distribution of *Phytoecia (Helladia) humeralis caneri*.