

CHECKLIST OF BRACONIDAE (INSECTA: HYMENOPTERA) FROM IRAN

Majid Fallahzadeh* and Nazila Saghaei**

* Department of Entomology, Islamic Azad University, Jahrom Branch, Fars, IRAN. E-mail: mfalahm@yahoo.com

** Department of Plant Protection, Islamic Azad University, Marvdasht Branch, Fars, IRAN.

[Fallahzadeh, M. & Saghaei, N. 2010. Checklist of Braconidae (Insecta: Hymenoptera) from Iran. Munis Entomology & Zoology, 5 (1): 170-186]

ABSTRACT: The Braconidae Nees, 1811 (Insecta: Hymenoptera) of Iran are reviewed based on available literatures. Two-hundred and two species are listed (as genus-species) from Agathidinae (4-4), Aphidiinae (12 -55), Brachistinae (1-2), Braconinae (7-33), Cardiochilinae (2-4), Cheloninae (3-24), Doryctinae (7-7), Euphorinae (6-12), Helconinae (2-3), Homolobinae (1-1), Hormiinae (2-2), Macrocentrinae (1-2), Microgastrinae (6-30), Microtypinae (1-1), Miracinae (1-1), Opiinae (4-7), Orgilinae (1-5), Pambolinae (1-1) and Rogadinae (2-8).

KEY WORDS: Hymenoptera, Braconidae, Distribution, Iran, Palaearctic region.

The family Braconidae constitutes one of the most species-rich families of insects with approximately 18,000 valid species (Yu et al., 2006). It includes important natural enemies of many harmful insects widely distributed in major insect orders such as Coleoptera, Diptera, Lepidoptera and Homoptera (Shaw and Huddleston, 1991; Wharton, 1993; Wharton et al., 1997). Until recently, the family was also thought to be solely parasitic, but a few instances of phytophagy have been recorded in recent years (Austin and Dangerfield, 1998; Marsh et al., 2000).

The studies on Braconidae in Iran are very restricted and have been conducted by foreign researchers. The first published records of Iranian Braconidae were those by Szépligeti (1901) who reported some braconid parasitoids. Several species were subsequently recorded by Telenga (1936, 1941), Hedwig (1957), Hellen (1958), Mackauer (1960), Fischer (1963), Davatchi and Chodjai (1969) and Starý (1974, 1975, 1979, 1981). Modares Awal (1997) cited some species of braconids in his list of agricultural pests and their natural enemies in Iran.

Although many studies have been conducted on the Braconidae of Iran (Monajemi and Esmaili, 1981; Al-e-Mansour and Mostafavi, 1993; Mojeni, 1994; Starý et al., 2000; Achterberg and Mehrnejad, 2002; Bagheri and Basiri, 2004; Mehrparvar et al., 2005; Dezianian and Quicke, 2006; and Rakhshani et al., 2007a, 2007b 2008a, 2008b), their results were scattered in different publications and have never been summarized. The present list was compiled to provide a reference for future studies on this family in Iran.

MATERIALS AND METHODS

The present checklist aims at reviewing as many references as possible to the Braconidae and listing every species with an Iranian record. We follow the classification and taxonomic arrangement of Yu et al. (2006).

List of the species

Two-hundred two Braconidae species belonging to 64 genera and 19 subfamilies are listed in alphabetic order as follows:

Subfamily Agathidinae Haliday, 1833**Genus *Agathis* Latreille, 1805*****Agathis nigra* Nees von Esenbeck, 1812**

Records of Iran: Hellén (1956); Tobias (1986); Simbolotti and Achterberg (1999).

Genus *Coccygidium* Saussure, 1892***Coccygidium transcaspicum* (Kokujev, 1902)**

Records of Iran: Telenga (1955); Hedwig (1957); Tobias (1986); Sharkey (1998).

Genus *Cremnops* Foerster, 1862***Cremnops richteri* Hedwig, 1957**

Record of Iran: Hedwig (1957).

Genus *Disophrys* Foerster, 1862***Disophrys caesa* (Klug, 1835)**

Record of Iran: Hedwig (1957).

Subfamily Aphidiinae Haliday, 1833**Genus *Adialytus* Foerster, 1862*****Adialytus ambiguus* (Haliday, 1834)**

Records of Iran: Starý (1979); Starý (1981); Starý et al. (2000).

***Adialytus salicaphis* (Fitch, 1855)**

Records of Iran: Starý (1979); Yaghubi and Sahragard (1998); Starý et al. (2000); Rakhshani et al. (2006a).

***Adialytus thelaxis* (Starý, 1961)**

Records of Iran: Starý (1979); Starý et al. (2000).

Genus *Aphidius* Nees von Esenbeck, 1819***Aphidius (Aphidius) asteris* Haliday, 1834**

Records of Iran: Yaghubi and Sahragard (1998); Starý (1979); Starý et al. (2000); Rakhshani et al. (2008a).

***Aphidius (Aphidius) colemani* Viereck, 1912**

Records of Iran: Starý (1975, 1979); Starý et al. (2000); Rakhshani et al. (2005a, 2006a, 2008a).

***Aphidius (Aphidius) eadyi* Starý, González and Hall, 1980**

Records of Iran: Starý (1979); Starý et al. (1980, 2000); Pennacchio (1989); Rakhshani et al. (2006a, 2008a).

***Aphidius (Aphidius) ervi* Haliday, 1834**

Records of Iran: Starý (1974, 1979); Gonzalez et al. (1978); Starý and Gonzalez (1978); Monajemi and Esmaili (1981); Starý et al. (2000); Rakhshani et al. (2006a, 2008a).

***Aphidius (Aphidius) funebris* Mackauer, 1961**

Records of Iran: Starý (1979); Starý et al. (2000); Rakhshani et al. (2008a).

***Aphidius iranicus* Rakhshani and Starý, 2007**

Record of Iran: Tomanovic et.al (2007).

***Aphidius (Aphidius) matricariae* Haliday, 1834**

Records of Iran: Starý (1979); Pike and Starý (1996); Yaghubi and Sahragard (1998); Starý et al. (2000); Rakhshani et al. (2008a, 2008b).

***Aphidius (Aphidius) persicus* Rakhshani and Starý, 2006**

Record of Iran: Rakhshani et al. (2006c, 2008a); Rakhshani et al. (2008a).

***Aphidius (Aphidius) popovi* Starý, 1978**

Record of Iran: Khayat-Zadeh et al. (2001); Rakhshani et al. (2008a).

***Aphidius (Aphidius) rhopalosiphii* De Stefani-Perez, 1902**

Records of Iran: Mojeni (1994); Starý et al. (2000); Rakhshani et al. (2008a).

***Aphidius (Aphidius) rosae* Haliday, 1833**

Record of Iran: Mehrparvar et al. (2005); Rakhshani et al. (2008a).

***Aphidius (Aphidius) salicis* Haliday, 1834**

Records of Iran: Starý (1979); Starý et al.(2000); Rakhshani et al. (2006b, 2007b).

***Aphidius (Aphidius) setiger* (Mackauer, 1961)**

Records of Iran: Starý (1979); Starý et al. (2000); Rakhshani et al. (2008a).

***Aphidius (Aphidius) smithi* Sharma and Subba Rao, 1959**

Records of Iran: Starý (1974, 1979); Gonzalez et al. (1978); Starý and Gonzalez (1978); Monajemi and Esmaili (1981); Yaghubi and Sahragard (1998); Starý et al. (2000); Rakhshani et al (2006a, 2008a).

***Aphidius (Aphidius) urticae* Haliday, 1834**

Records of Iran: Starý (1974, 1979); Gonzalez et al. (1978); Starý and Gonzalez (1978); Monajemi and Esmaili (1981); Starý et al. (2000); Rakhshani et al. (2008a).

***Aphidius (Aphidius) uzbekistanicus* Luzhetski, 1960**

Records of Iran: Starý (1979, 1981); Starý et al. (2000); Rakhshani et al. (2008a, 2008b).

***Aphidius (Euaphidius) cingulatus* Ruthe, 1859**

Records of Iran: Starý (1979); Starý et al. (2000); Babaee et al. (2004); Rakhshani et al. (2006b, 2007b, 2008a).

Genus *Binodoxys* Mackauer, 1960***Binodoxys acalephae* (Marshall, 1896)**

Records of Iran: Starý (1979); Starý et al. (2000); Rakhshani et al. (2005a).

***Binodoxys angelicae* (Haliday, 1833)**

Records of Iran: Starý (1979); Yaghubi and Sahragard (1998); Starý et al. (2000); Rakhshani et al. (2005a); Moodi and Mosaddegh (2006).

***Binodoxys brevicornis* (Haliday, 1833)**

Records of Iran: Yaghubi and Sahragard (1998); Starý et al. (2000); Rakhshani et al. (2006b, 2007b).

***Binodoxys heraclei* (Haliday, 1833)**

Records of Iran: Rakhshani et al. (2006b, 2007b).

Genus *Betuloxys* Mackauer, 1960***Betuloxys hortorum* (Starý, 1960)**

Records of Iran: Starý (1979); Starý et al. (2000).

Genus *Diaeretiella* Starý, 1960***Diaeretiella rapae* (McIntosh, 1855)**

Records of Iran: Starý (1979, 1981); Yaghubi and Sahragard (1998); Starý et al. (2000); Lotfalizadeh and van Veen (2004); Rakhshani et al. (2006a).

Genus *Ephedrus* Haliday, 1833***Ephedrus (Ephedrus) cerasicola* Starý, 1962**

Record of Iran: Starý et al. (2000).

***Ephedrus (Ephedrus) chaitophori* Gärdenfors, 1986**

Records of Iran: Rakhshani et al. (2006b, 2007b).

***Ephedrus (Ephedrus) helleni* Mackauer, 1968**

Records of Iran: Starý (1979); Starý et al. (2000); Rakhshani et al. (2006b, 2007b).

***Ephedrus (Ephedrus) laevicollis* (Thomson, 1895)**

Record of Iran: Starý (1979).

***Ephedrus (Ephedrus) niger* Gautier, Bonnamour and Gaumont, 1929**

Records of Iran: Starý (1979); Yaghubi and Sahragard (1998); Starý et al. (2000).

***Ephedrus (Ephedrus) persicae* Froggatt, 1904**

Records of Iran: Starý (1979); Yaghubi and Sahragard (1998); Starý et al. (2000); Rakhshani et al. (2005a, 2008b).

***Ephedrus (Ephedrus) plagiator* (Nees von Esenbeck, 1811)**

Records of Iran: Starý (1979); Yaghubi and Sahragard (1998); Starý et al. (2000); Rakhshani et al. (2008b).

Genus *Lysaphidus* Smith, 1944***Lysaphidus arvensis* Starý, 1960**

Records of Iran: Starý (1979); Starý et al. (2000).

Genus *Lysiphlebus* Foerster, 1862***Lysiphlebus (Phlebus) confusus* Tremblay and Eady, 1978**

Records of Iran: Yaghubi and Sahragard (1998); Starý et al. (2000); Rakhshani et al. (2005a, 2006a, 2006b, 2007b).

***Lysiphlebus (Phlebus) desertorum* Starý, 1965**

Records of Iran: Starý (1979); Yaghubi and Sahragard (1998); Starý et al. (2000).

***Lysiphlebus (Phlebus) fabarum* (Marshall, 1896)**

Records of Iran: Starý (1979); Monajemi and Esmaili (1981); Finlayson (1990); Yaghubi and Sahragard (1998); Starý et al. (2000); Rakhshani et al. (2005a, 2006a, 2008b).

***Lysiphlebus (Phlebus) testaceipes* (Cresson, 1880)**

Record of Iran: Rakhshani et al. (2005a).

Genus *Pauesia* Quilis, 1931***Pauesia (Paraphidius) antennata* (Mukerji, 1950)**

Records of Iran: Starý (1979); Starý et al. (2000); Rakhshani et al. (2005b).

***Pauesia (Pauesiella) hazratbalensis* Bhagat, 1981**

Record of Iran: Starý et al. (2005).

Genus *Praon* Haliday, 1833***Praon (Praon) abjectum* (Haliday, 1833)**

Record of Iran: Rakhshani et al. (2007a).

***Praon (Praon) barbatum* Mackauer, 1967**

Records of Iran: Gonzalez et al. (1978); Starý and Gonzalez, 1978; Rakhshani et al. (2007a).

***Praon (Praon) exsoletum* (Nees von Esenbeck, 1811)**

Records of Iran: van den Bosch (1957); Starý (1979); Monajemi and Esmaili (1981); Rakhshani et al. (2006a, 2007a); Starý et al. (2000).

***Praon (Praon) flavinode* (Haliday, 1833)**

Records of Iran: Starý (1979); Starý et al. (2000) Rakhshani et al. (2007a).

***Praon (Praon) orpheusi* Kavallieratos, Attanassiou and Tomanovic, 2003**

Record of Iran: Rakhshani et al. (2007a).

***Praon (Praon) rosaecole* Starý, 1961**

Record of Iran: Rakhshani et al. (2007a).

***Praon (Praon) volucre* (Haliday, 1833)**

Records of Iran: Starý (1979); Starý et al. (2000); Rakhshani et al. (2005a, 2006a, 2007a, 2008b).

***Praon (Praon) yomonae* Takada, 1968**

Record of Iran: Rakhshani et al. (2007a).

Genus *Tanytrichophorus* Mackauer, 1961***Tanytrichophorus petiolaris* Mackauer, 1961**

Records of Iran: Mackauer (1961); Starý (1979); Starý et al. (2000).

Genus *Trioxys* Haliday, 1833***Trioxys (Trioxys) asiaticus* Telenga, 1953**

Records of Iran: Mackauer (1960); Starý (1979); Starý et al. (2000).

***Trioxys (Trioxys) cirsii* (Curtis, 1831)**

Record of Iran: Starý et al. (2000).

***Trioxys (Trioxys) complanatus* Quilis, 1931**

Records of Iran: van den Bosch (1957); Starý (1979); Monajemi and Esmaili (1981); Starý et al. (2000); Rakhshani et al. (2006a).

***Trioxys (Trioxys) pallidus* (Haliday, 1833)**

Records of Iran: Starý (1979) Starý et al. (2000); Rakhshani et al. (2004).

***Trioxys (Trioxys) pannonicus* Starý, 1960**

Records of Iran: Starý (1979); Starý et al. (2000).

***Trioxys (Trioxys) tanaceticola* Starý, 1971**

Records of Iran: Starý (1979); Starý et al. (2000).

Subfamily Brachistinae Foerster, 1862**Genus *Schizoprymnus* Foerster, 1862*****Schizoprymnus obscurus* (Nees von Esenbeck, 1816)**

Records of Iran: Telenga (1941); Hellén (1958).

***Schizoprymnus pullatus* (Dahlbom, 1833)**

Record of Iran: Tobias (1986).

Subfamily Braconinae von Esenbeck, 1811**Genus *Baryproctus* Ashmead, 1900*****Baryproctus zarudnianus* Telenga, 1936**

Records of Iran: Telenga (1936); Shenefelt (1978).

Genus *Bracon* Fabricius, 1804***Bracon (Bracon) chivensis* Telenga, 1936**

Record of Iran: Capek and Hofmann (1997).

***Bracon (Bracon) lefroyi* (Dudgeon and Gough, 1914)**

Record of Iran: Hussain et al. (1976).

***Bracon (Bracon) longicollis* Wesmael, 1838**

Records of Iran: Tobias (1976, 1986).

***Bracon (Bracon) luteator* Spinola, 1808**

Records of Iran: Beyarslan et al. (2005).

***Bracon (Bracon) minutator* (Fabricius, 1798)**

Records of Iran: Tobias (1961, 1976).

***Bracon (Bracon) scabriusculus* Dalla Torre, 1898**

Record of Iran: Telenga (1936).

***Bracon (Bracon) schmidti* Kokujev, 1912**

Records of Iran: Telenga (1936); Tobias (1976, 1986); Shenefelt (1978).

***Bracon (Cyanopterobracon) sabulosus* Szépligeti, 1896**

Records of Iran: Telenga (1936); Tobias (1976, 1986); Shenefelt (1978).

***Bracon (Glabrobracon) dilatus* Papp, 1999**

Record of Iran: Papp (1999).

***Bracon (Glabrobracon) variator* Nees von Esenbeck, 1811**

Records of Iran: Papp (1966, 1967); Capek and Hofmann (1997).

***Bracon (Habrobracon) excisus* (Tobias, 1957)**

Record of Iran: Haeselbarth (1983).

***Bracon (Habrobracon) hebetor* Say, 1836**

Records of Iran: Haeselbarth (1983); Noori (1994); Modarres Awal (1997); Dezianian and Jalali (2004).

***Bracon (Habrobracon) iranicus* (Fischer, 1972)**

Records of Iran: Fischer (1972a); Shenefelt (1978).

***Bracon (Habrobracon) nigricans* (Szépligeti, 1901)**

Record of Iran: Haeselbarth (1983).

***Bracon (Habrobracon) radialis* (Telenga, 1936)**

Record of Iran: Dezianian and Quicke (2006).

***Bracon (Rostrobracon) urinator* (Fabricius, 1798)**

Record of Iran: Telenga (1936).

Genus *Glyptomorpha* Holmgren, 1868***Glyptomorpha (Glyptomorpha) pectoralis* (Brullé, 1832)**

Records of Iran: Shestakov (1926); Telenga (1936); Tobias (1976); Capek and Hofmann (1997).

Genus *Iphiaulax* Foerster, 1862***Iphiaulax hians* Pérez, 1907**

Record of Iran: Telenga (1936).

***Iphiaulax impeditior* (Kokujev, 1898)**

Record of Iran: Fahringer (1926).

***Iphiaulax mactator* (Klug, 1817)**

Records of Iran: Tobias (1976, 1986).

***Iphiaulax mirabilis* (Hedwig, 1957)**

Record of Iran: Hedwig (1957).

***Iphiaulax perezi* (Fahringer, 1926)**

Record of Iran: Telenga (1936).

Genus *Pseudovipio* Szépligeti, 1896***Pseudovipio kirmanensis* (Kokujev, 1907)**

Records of Iran: Kokujev (1907); Fahringer (1926); Telenga (1936); Hedwig (1957).

***Pseudovipio nigrirostris* (Kokujev, 1907)**

Records of Iran: Kokujev (1907); Fahringer (1926).

***Pseudovipio schaeuffelei* (Hedwig, 1957)**

Records of Iran: Hedwig (1957); Achterberg (1980).

***Pseudovipio tataricus* (Kokujev, 1898)**

Records of Iran: Telenga (1936); Shenefelt (1978).

Genus *Rhadinobracon* Szépligeti, 1906***Rhadinobracon nigrocephalus* (Hedwig, 1957)**

Record of Iran: Hedwig (1957).

***Rhadinobracon zarudnyi* (Telenga, 1936)**

Records of Iran: Telenga (1936); Shenefelt (1978).

Genus *Vipio* Latreille, 1805***Vipio (Vipio) mlokossewiczi* Kokujev, 1898**

Record of Iran: Telenga (1936).

***Vipio (Vipio) nomioides* Shestakov, 1926**

Records of Iran: Shestakov (1926); Telenga (1936); Tobias (1976, 1986).

***Vipio (Vipio) terrefactor* (Villers, 1789)**

Records of Iran: Szépligeti (1901); Telenga (1936); Tobias (1976, 1986).

***Vipio (Vipio) xanthurus* (Fahringer, 1926)**

Record of Iran: Fahringer (1926).

Subfamily Cardiochilinae Ashmead, 1900
Genus *Cardiochiles* Nees von Esenbeck, 1819***Cardiochiles saltator* (Fabricius, 1781)**

Records of Iran: Telenga (1955); Belokobylskij (1998).

***Cardiochiles tibialis* Hedwig, 1957**

Record of Iran: Hedwig (1957).

***Cardiochiles triplus* Shenefelt, 1973**

Record of Iran: Hedwig (1957).

Genus *Pseudcardiochilus* Hedwig, 1957***Pseudcardiochilus abnormipes* Hedwig, 1957**

Records of Iran: Hedwig (1957); Achterberg (1980).

Subfamily Cheloninae Foerster, 1862
Genus *Ascogaster* Wesmael, 1835***Ascogaster bicarinata* (Herrich-Schäffer, 1838)**

Records of Iran: Telenga (1941); Tobias (1976, 1986).

***Ascogaster caucasica* Kokujev, 1895**

Record of Iran: Huddleston (1984).

Genus *Chelonus* Panzer, 1806***Chelonus (Chelonus) annulatus* (Nees von Esenbeck, 1816)**

Record of Iran: Telenga (1941).

***Chelonus (Chelonus) annulipes* Wesmael, 1835**

Records of Iran: Telenga (1941); Tobias (1976, 1986).

***Chelonus (Chelonus) breviventris* Thomson, 1874**

Record of Iran: Papp (1997).

***Chelonus (Chelonus) inanitus* (Linnaeus, 1767)**

Records of Iran: Aubert (1966); Davatchi and Shojaei (1969); Khanjani (2004); Alizadeh and Javan Moghaddam (2004); Bagheri and Basiri (2004).

***Chelonus (Chelonus) iranicus* Tobias, 1972**

Record of Iran: Tobias (1972).

***Chelonus (Chelonus) kermakiae* (Tobias, 2001)**

Records of Iran: Achterberg and Mehrnejad (2002).

***Chelonus (Chelonus) medus* Telenga, 1941**

Record of Iran: Telenga (1941).

***Chelonus (Chelonus) oculator* (Fabricius, 1775)**

Records of Iran: Telenga (1941); Tobias (1976, 1986).

***Chelonus (Chelonus) scabrador* (Fabricius, 1793)**

Record of Iran: Telenga (1941).

***Chelonus (Chelonus) setaceus* Papp, 1993**

Record of Iran: Papp (1993).

***Chelonus (Chelonus) smirnovi* Telenga, 1953**

Record of Iran: Tobias (1976).

***Chelonus (Microchelonus) areolatus* Cameron, 1906**

Record of Iran: Papp (1996).

***Chelonus (Microchelonus) basalis* Curtis, 1837**

Record of Iran: Telenga (1941).

***Chelonus (Microchelonus) contractus* (Nees von Esenbeck, 1816)**

Record of Iran: Modarres Awal (1997).

***Chelonus (Microchelonus) depressus* Thomson, 1874**

Records of Iran: Davatchi and Shojai (1969); Jafaripour (1969).

***Chelonus (Microchelonus) iranicus* (Tobias, 2001)**

Record of Iran: Tobias (2001).

***Chelonus (Microchelonus) telengai* (Abdinbekova, 1965)**

Records of Iran: Abdinbekova (1965); Tobias (1976, 1986, 2001).

Genus *Phanerotoma* Wesmael, 1838***Phanerotoma (Bracotritoma) parva* Kokujev, 1903**

Record of Iran: Al-e-Mansour and Mostafavi (1993).

***Phanerotoma (Phanerotoma) fracta* Kokujev, 1903**

Records of Iran: Hedwig (1957); Achterberg (1990).

***Phanerotoma (Phanerotoma) leucobasis* Kriechbaumer, 1894**

Records of Iran: Hedwig (1957); Achterberg (1990); Modarres Awal (1997).

***Phanerotoma (Bracotritoma) masiana* Fahringer, 1934**

Record of Iran: Al-e-Mansour and Mostafavi (1993).

***Phanerotoma (Phanerotoma) syleptae* Zettel, 1990**

Record of Iran: Zettel (1990).

Subfamily Doryctinae Foerster, 1862**Genus *Doryctes* Haliday, 1836*****Doryctes leucogaster* (Nees von Esenbeck, 1834)**

Records of Iran: Telenga (1941); Shenefelt and Marsh (1976); Tobias (1976); Belokobylskij and Tobias (1986).

Genus *Ecphylus* Foerster, 1862***Ecphylus (Ecphylus) silesiacus* (Ratzeburg, 1848)**

Records of Iran: Aubert (1966); Hedqvist (1967); Shenefelt and Marsh (1976); Modarres Awal (1997).

Genus *Leluthia* Cameron, 1887***Leluthia ruguloscolyti* (Fischer, 1962)**

Records of Iran: Aubert (1966); Belokobylskij and Tobias (1986).

Genus *Ontsira* Cameron, 1900***Ontsira imperator* (Haliday, 1836)**

Records of Iran: Telenga (1941); Hedwig (1957); Shenefelt and Marsh (1976).

Genus *Rhaconotus* Ruthe, 1854***Rhaconotus (Rhaconotus) zarudnyi* Belokobylskij, 1990**

Record of Iran: Belokobylskij (1990).

Genus *Spathius* Nees von Esenbeck, 1819***Spathius (Spathius) polonicus* Niezabitowski, 1910**

Records of Iran: Fischer (1970); Shenefelt and Marsh (1976); Belokobylskij (1989); Modarres Awal (1997).

Genus *Zombrus* Marshall, 1897***Zombrus flavipennis* (Brullé, 1846)**

Record of Iran: Shenefelt and Marsh (1976).

Subfamily Euphorinae Foerster, 1862**Genus *Ecclitura* Kokujev, 1902*****Ecclitura primoris* Kokujev, 1902**

Records of Iran: Hedwig (1957); Haeselbarth (1973); Achterberg (1980); Tobias (1986).

Genus *Leiophron* Nees von Esenbeck, 1819***Leiophron (Leiophron) pseudomitis* (Hedwig, 1957)**

Record of Iran: Hedwig (1957).

Genus *Meteorus* Haliday, 1835***Meteorus obsoletus* (Wesmael, 1835)**

Record of Iran: Nikdel et al. (2004).

***Meteorus pendulus* (Müller, 1776)**

Records of Iran: Abbasipour (2001); Khanjani (2004).

***Meteorus pulchricornis* (Wesmael, 1835)**

Record of Iran: Herard et al. (1979).

***Meteorus rubens* (Nees von Esenbeck, 1811)**

Records of Iran: Aubert (1966); Davatchi and Shojai (1969); Modarres Awal (1997); Alizadeh and Javan Moghaddam (2004).

***Meteorus versicolor* (Wesmael, 1835)**

Record of Iran: Nikdel et al. (2004).

Genus *Perilitus* Nees von Esenbeck, 1819***Perilitus (Microctonus) aethiopoides* (Loan, 1975)**

Record of Iran: Arbab and McNeill (2001).

***Perilitus (Microctonus) colesi* (Drea, 1968)**

Record of Iran: Bartlett (1978).

***Perilitus (Perilitus) flavobasalis* Hedwig, 1957**

Record of Iran: Hedwig (1957).

Genus *Peristenus* FOERSTER, 1862***Peristenus rubricollis* (Thomson, 1892)**

Record of Iran: Khanjani (2004).

Genus *Wesmaelia* Foerster, 1862***Wesmaelia petiolata* (Wollaston, 1858)**

Record of Iran: Belokobylskij (1992).

Subfamily *Helconinae* Foerster, 1862**Genus *Aspicolpus* Wesmael, 1838*****Aspicolpus borealis* (Thomson, 1892)**

Record of Iran: Hedwig (1957).

Genus *Helcon* Nees von Esenbeck, 1812***Helcon claviventris* Wesmael, 1835**

Record of Iran: Hedwig (1957).

***Helcon heinrichi* Hedqvist, 1967**

Record of Iran: Hedqvist (1967).

Subfamily *Homolobinae* Achterberg, 1979**Genus *Homolobus* Foerster, 1862*****Homolobus (Apatia) ophioninus* (Vachal, 1907)**

Record of Iran: Achterberg (1979).

Subfamily *Hormiinae* Foerster, 1862**Genus *Hormius* Nees von Esenbeck, 1819*****Hormius sculpturatus* Tobias, 1967**

Record of Iran: Al-e-Mansour and Mostafavi (1993).

Genus *Hormisca* Telenga, 1941***Hormisca tatianae* Telenga, 1941**

Records of Iran: Telenga (1941); Shenefelt (1975); Belokobylskij and Tobias (1986).

Subfamily *Macrocentrinae* Foerster, 1862**Genus *Macrocentrus* Curtis, 1833*****Macrocentrus collaris* (Spinola, 1808)**

Record of Iran: Aubert (1966).

***Macrocentrus flavus* Vollenhoven, 1878**

Record of Iran: Achterberg (1993).

Subfamily *Microgastrinae* Foerster, 1862**Genus *Apanteles* Foerster, 1862*****Apanteles (Apanteles) bicolor* (Nees von Esenbeck, 1834)**

Record of Iran: Modarres Awal (1997).

***Apanteles (Apanteles) galleriae* Wilkinson, 1932**

Record of Iran: Modarres Awal (1997).

***Apanteles (Apanteles) iranicus* Telenga, 1955**

Records of Iran: Telenga (1955); Tobias (1986).

***Apanteles (Apanteles) lacteicolor* Viereck, 1911**

Record of Iran: Herard et al. (1979).

***Apanteles (Apanteles) lacteus* (Nees von Esenbeck, 1834)**

Record of Iran: Telenga (1955).

***Apanteles (Apanteles) obscurus* (Nees von Esenbeck, 1834)**

Record of Iran: Copek and Hofmann (1997).

***Apanteles (Apanteles) viminotorum* (Wesmael, 1837)**

Record of Iran: Telenga (1955).

Genus *Cotesia* Cameron, 1891***Cotesia chilonis* (Matsumura, 1910)**

Records of Iran: Rassipour (1983); Modarres Awal (1997).

***Cotesia glomerata* (Linnaeus, 1758)**

Records of Iran: Davatchi and Shojaei (1969); Alizadeh and Javan Moghaddam (2004).

***Cotesia juniperatae* (Bouché, 1834)**

Records of Iran: Davatchi and Shojaei (1969); Modarres Awal (1997).

***Cotesia kazak* (Telenga, 1949)**

Records of Iran: Davatchi and Shojaei (1969); Modarres Awal (1997).

***Cotesia melanoscela* (Ratzeburg, 1844)**

Records of Iran: Herard et al. (1979); Modarres Awal (1997).

***Cotesia ofella* (Nixon, 1974)**

Record of Iran: Karimpour et al. (2001).

***Cotesia rubecula* (Marshall, 1885)**

Record of Iran: Khanjani (2006).

***Cotesia ruficrus* (Haliday, 1834)**

Records of Iran: Siahpoush et al. (1993); Modarres Awal (1997); Khanjani (2004).

***Cotesia saltator* (Thunberg, 1824)**

Record of Iran: Papp (1987).

***Cotesia specularis* (Szépligeti, 1896)**

Record of Iran: Papp (1986).

***Cotesia telengai* (Tobias, 1972)**

Record of Iran: Papp (1986).

***Cotesia tibialis* (Curtis, 1830)**

Record of Iran: Aubert (1966).

***Cotesia vanessae* (Reinhard, 1880)**

Record of Iran: Karimpour et al. (2001).

***Cotesia vestalis* (Haliday, 1834)**

Records of Iran: Telenga (1955); Karimpour et al. (2005); Golizadeh et al. (2005).

Genus *Diolcogaster* Ashmead, 1900***Diolcogaster mayae* (Shestakov, 1932)**

Records of Iran: Hedwig (1957); Telenga (1955); Tobias (1976, 1986); Achterberg (1980); Al-e-Mansour and Mostafavi (1993).

Genus *Microgaster* Latreille, 1805***Microgaster australis* Thomson, 1895**

Record of Iran: Tobias (1986).

***Microgaster rufipes* Nees von Esenbeck, 1834**

Record of Iran: Telenga (1955).

Genus *Microplitis* Foerster, 1862***Microplitis aduncus* (Ruthe, 1860)**

Record of Iran: Papp (1984).

***Microplitis deprimator* (Fabricius, 1798)**

Record of Iran: Nixon (1968).

***Microplitis ochraceus* Szépligeti, 1896**

Records of Iran: Telenga (1955); Tobias (1976, 1986); Papp (1984).

***Microplitis scrophulariae* Szépligeti, 1898**

Record of Iran: Tobias (1976).

Genus *Protaapanteles* Ashmead, 1898***Protaapanteles (Protaapanteles) liparidis* (Bouché, 1834)**

Records of Iran: Herard et al. (1979); Modarres Awal (1997).

***Protaapantales (Protoapantales) thompsoni* (Lyle, 1927)**

Record of Iran: Khanjani (2004).

Subfamily Microtypinae Szépligeti, 1908
Genus *Microtypus* Ratzeburg, 1848

***Microtypus desertorum* Shestakov, 1932**

Record of Iran: Hedwig (1957).

Subfamily Miricinae Viereck, 1918
Genus *Centistidea* Rohwer, 1914

***Centistidea (Paracentistidea) pistaciella* Achterberg and Mehrnejad, 2002**

Record of Iran: Achterberg and Mehrnejad (2002).

Subfamily Opiinae Blanchard, 1845
Genus *Eurytenes* Foerster, 1862

***Eurytenes (Xynobiotenes) scutellatus* (Fischer, 1962)**

Record of Iran: Fischer (1990).

Genus *Fopius* Wharton, 1987

***Fopius carpomyiae* (Silvestri, 1916)**

Record of Iran: Farrar and Chou (2000)

Genus *Opius* Wesmael, 1835

***Opius (Apodesmia) sharynensis* Fischer, 2001**

Record of Iran: Fischer (2001).

***Opius (Nosopoea) maculipes* Wesmael, 1835**

Record of Iran: Fischer (1990).

***Opius (Nosopoea) teheranensis* Fischer, 1990**

Record of Iran: Fischer (1990).

***Opius (Opiothorax) abditus* Fischer, 1960**

Record of Iran: Fischer (1960, 1972b).

Genus *Phaedrotoma* Foerster, 1862

***Phaedrotoma exigua* (Wesmael, 1835)**

Record of Iran: Fischer (1990).

Subfamily Orgilinae Ashmead, 1900
Genus *Orgilus* Haliday, 1833

***Orgilus (Orgilus) abbreviator* (Ratzeburg, 1852)**

Record of Iran: Taeger (1989).

***Orgilus (Orgilus) jennieae* Marsh, 1979**

Record of Iran: Khanjani (2006).

***Orgilus (Orgilus) meyeri* Telenga, 1933**

Record of Iran: Taeger (1989).

***Orgilus (Orgilus) obscurator* (Nees von Esenbeck, 1812)**

Records of Iran: Sabzevari (1968); Modarres Awal (1997).

***Orgilus (Orgilus) tobiasi* Taeger, 1989**

Record of Iran: Taeger (1989).

Subfamily Pambolinae Marshall, 1885
Genus *Pambolus* Haliday, 1836

***Pambolus (Phaenodus) pallipes* (Foerster, 1862)**

Record of Iran: Belokobylskij (1998).

Subfamily Rogadinae Foerster, 1862
Genus *Aleiodes* Wesmael, 1838

***Aleiodes (Aleiodes) bicolor* (Spinola, 1808)**

Records of Iran: Telenga (1941); Hedwig (1957).

***Aleiodes (Aleiodes) circumscriptus* (Nees von Esenbeck, 1834)**

Record of Iran: Telenga (1941).

***Aleiodes (Aleiodes) nocturnus* (Telenga, 1941)**

Record of Iran: Shenefelt (1975).

***Aleiodes (Aleiodes) testaceus* (Spinola, 1808)**

Record of Iran: Hedwig (1957).

***Aleiodes (Chelonorhogas) agilis* (Telenga, 1941)**

Records of Iran: Telenga (1941); Shenefelt (1975); Tobias (1976, 1986).

***Aleiodes (Neorhogas) dimidiatus* (Spinola, 1808)**

Record of Iran: Telenga (1941).

***Aleiodes (Neorhogas) ductor* (Thunberg, 1824)**

Records of Iran: Hedwig (1957); Tobias (1976, 1986).

Genus *Yelicones* Cameron, 1887***Yelicones iranus* (Fischer, 1963)**

Record of Iran: Fischer (1963).

ACKNOWLEDGEMENTS

The research was supported by Islamic Azad University; Jahrom Branch; Fars; Iran and Islamic Azad University; Marvdasht Branch; Fars; Iran.

LITERATURE CITED

- Abbasipour, H.** 2001. Report of endoparasitoid wasp, *Meteorus gyrtator* (Thunberg) (Hym.: Braconidae) on rice armyworm, *Mythimna unipuncta* (Howarth) from Iran. Journal of Entomological Society of Iran, 20 (2): 101–102.
- Al-e-Mansour, H. & Mostafavi, M. S.** 1993. The first record of braconidae bees on forest and range vegetation in the Fars province. Proceeding of 11th Iranian Plant Protection Congress, University of Guilan, p. 236.
- Alizadeh, S. & Javan Moghaddam, H.** 2004. Introduction of some natural enemies of common cutworm (*Agrotis segetum* Schiff) in Miyandoab. Proceeding of 16th Iranian Plant Protection Congress, University of Tabriz, p. 45.
- Arbab, A. & McNeill, M.** 2001. New report of *Microctonus aethiopoides* (Hym.: Braconidae) in Iran. Journal of Entomological Society of Iran, 21 (1): 111–112.
- Aubert, J. F.** 1966. Liste d'identification No. 6 (présentée par le service d'identification des Entomophages). Entomophaga, 11 (1): 115–134.
- Abdinbekova, A. A.** 1965. New species and forms of insects (fam. Ichneumonidae and Braconidae) from Kuba-Khachmask zone in Azerbaijan. (in Russian) Doklady Akademii Nauk Azerbaidzhanskoi SSR, 21 (4): 61–64.
- Achterberg, C. van.** 1979. A revision of the subfamily Zelinae auct. (Hymenoptera, Braconidae). Tijdschrift voor Entomologie, 122: 241–479.
- Achterberg, C. van.** 1980. Notes on some species of Braconidae (Hymenoptera) described by Hedwig from Iran & Afghanistan. Entomologische Berichten, Amsterdam, 40: 25–31.
- Achterberg, C. van.** 1990. Revision of the western Palaearctic Phanerotomini (Hymenoptera: Braconidae). Zoologische Verhandelingen, 255: 1–106.
- Achterberg, C. van.** 1993. Revision of the subfamily Macrocentrinae Foerster (Hymenoptera: Braconidae) from the Palaearctic region. Zoologische Verhandelingen, No. 286. 110 pp.
- Achterberg, C. van & Mehrnejad, M. R.** 2002. The braconid parasitoids (Hymenoptera: Braconidae) of *Kermania pistaciella* Amsel (Lepidoptera: Tineidae: Hieroxestinae) in Iran. Zoologische Mededelingen, Leiden, 76 (2): 27–39.
- Austin, A. D. & Dangerfield, P. C.** 1998. Biology of the *Mesostoa kerri* Austin & Wharton (Insecta: Hymenoptera: Braconidae: Mesostoinae), an endemic Australian wasp that causes stem galls on *Banksia marginata* Cav. Australian Journal of Botany, 46: 559–569.
- Babaee, M. R., Mohammadi, M., Barimani, H. & Rezvani, A.** 2004. Biological study of *Pterocomma populeum* (Kaltenbach) on poplar trees in Mazandaran province. Proceeding of 16th Iranian Plant Protection Congress, University of Tabriz, p. 413.

- Bagheri, M. R. & Basiri, G. H.** 2004. Preliminary studies of field biology of sorghum stem borers, *Sesamia cretica*, in Ardestan area. Proceeding of 16th Iranian Plant Protection Congress, University of Tabriz, p. 258.
- Bartlett, B. R., Clausen, C. P., Debach, P., Goeden, R. D., Legner, E. F., Mcmurtry, J. A. & Oatman, E. R.** 1978. Introduced parasites and predators of arthropod pests and weeds: A world review. Agricultural Research Service. United States Department of Agriculture. Agriculture Washington, District of Columbia, Handbook No. 480. 545 pp.
- Belokobylskij, S. A.** 1989. Palearctic species of braconids of the genus *Spathius* Nees: Of the group of species *S. labdacus*, *S. urios*, & *S. leucippus* (Hymenoptera, Braconidae, Doryctinae). (in Russian) Trudy Zoologicheskogo Instituta Leningrad, 188: 39–57.
- Belokobylskij, S. A.** 1990. Review of braconid wasps of the genus *Rhaconotus* Ruthe (Hymenoptera, Braconidae) of the Palearctic Region. Entomologicheskoye Obozreniye, 69 (1): 144–163. [Entomological Review, 70(2):47-67.]
- Belokobylskij, S. A.** 1992. *Wesmaelia* & *Syrrhizus* species (Hymenoptera, Braconidae, Euphorinae) in the Far East. (in Russian) Vestnik Zoologii, 3: 8–16.
- Belokobylskij, S. A.** 1998. [On braconid wasps of the genus *Ontsira* Cameron (Hymenoptera, Braconidae) of East Asia.] Entomologicheskoe Obozrenie, 77 (2): 462–479, 526. [Entomological Review, 78 (5): 556–564].
- Belokobylskij, S. A.** 1998. 1. Rhysalinae, 2. Doryctinae, 3. Histeromerinae, 4. Exothecinae, 7. Gnaptodontinae, 9. Alysiinae (Alysiini), 10. Helconinae, 11. Cenocoeliinae, 12. Brachistinae, 14. Meteorideinae, 16. Xiphocelininae, 17. Homolobinae, 18. Charmontinae, 19. Orgilinae, 20. Ecnomiinae, 21. Sigalphinae, 23. Ichneutinae, 25. Cardiochilinae, 27. Dirrhopinae, 28. Miracinae, 29. Adeliinae. In: Lehr, P.A. 'Key to the insects of Russian Far East. Vol. 4. Neuropteroidea, Mecoptera, Hymenoptera. Pt 3. Nauka, Vladivostok, St. Petersburg 706 pp. pp.41–162, 163–298, 411–520, 531–558.
- Belokobylskij, S. A. & Tobias, V. I.** 1986. Doryctinae. pp. 21–72. In: Medvedev, G.S. (ed.) 'Opredelitel Nasokomych Evrospeiskoi Tsasti SSSR 3. Peredpontdatokrylye 4. Opr. Faune SSSR.' Nauka Press, Leningrad 145: 1–501. pp. 21–72.
- Beyarslan, A., Erdogan, Ö. Ç. & Aydogdu, M.** 2005. A survey of Braconinae (Hymenoptera, Braconidae) of Turkish western Black Sea region. Linzer Biologische Beiträge, 37 (1): 195–213.
- Capek, M. & Hofmann, C.** 1997. The Braconidae (Hymenoptera) in the collections of the Musée cantonal de Zoologie, Lausanne. Litterae Zoologicae (Lausanne), 2: 25–163.
- Davatchi, A. & Shojai, M.** 1969. Les hyménoptères entomophages de l'Iran (Etudes Faunistiques). Tehran University, Faculty of Agriculture, 107: 1–88.
- Dezianian, A. & Jalali, A.** 2004. Investigation on the distribution and seasonal fluctuation and important natural enemies of potato tuber moth *Phthorimaea operculella* (Zeller) in Shahrood region. Proceeding of 16th Iranian Plant Protection Congress, University of Tabriz, p. 17.
- Dezianian, A. & Quicke, D.** 2006. Introduction of potato tuber moth parasite wasp *Bracon (Habrobracon)* aff. *radialis* Teleng from Iran. Proceedings of 17th Iranian Plant Protection Congress, Campus of Agriculture and Natural Resources, University of Tehran, 65.
- Fahringer, J.** 1926. Opuscula braconologica. Band 1. Palaearktischen Region. Lieferung 2–3. Opuscula braconologica, Fritz Wagner, Wien, pp. 61–220.
- Farrar, N. & Chou, L. Y.** 2000. Introduction of *Fopius carpomyiae* (Silvestri, 1916) (Braconidae: Opiinae), as a parasitoid of ber fruitfly larvae *Carpomya vesuviana* Costa (Tephritidae), in Iran. Applied Entomology & Phytopathology, 67 (1–2): 100, 27–28.
- Finlayson, T.** 1990. The systematics and taxonomy of final instar larvae of the family Aphidiidae (Hymenoptera). Memoirs of the Entomological Society of Canada, 152: 1–74.
- Fischer, M.** 1960. Die europäischen Arten der Gattung *Opius* Wesmael, Teil IVa. Annales Zoologici Warszawa, 19: 33–112.
- Fischer, M.** 1963. Eine neue Pectenopius-Art aus dem Iran (Hymenoptera, Braconidae, Opiinae). Stuttgarter Beiträge zur Naturkunde, 98: 1–3.

- Fischer, M.** 1972. Eine neue *Habrobracon*-Art aus dem Iran (Hymenoptera, Braconidae). *Entomophaga*, 17 (1): 89–91.
- Fischer, M.** 1972a. Erste Gliederung der paläarktischen Aspilota-Arten (Hymenoptera. Braconidae, Alysiinae). *Polskie Pismo Entomologiczne*, 42: 323–459.
- Fischer, M.** 1972b. Hymenoptera Braconidae (Opiinae I). (Paläarktische Region) Das Tierreich, 91 (1973): 1–620.
- Fischer, M.** 1990. Paläarktische Opiinae (Hymenoptera, Braconidae): Neue Arten und neue Funde aus dem Ungarischen Naturwissenschaftlichen Museum in Budapest. *Annales Historico-Naturales Musei Nationalis Hungarici*, 81 (1989): 205–238.
- Fischer, M.** 2001. Genauere Studien an jüngst beschriebenen *Dacnusini* aus dem Fernen Osten Russlands und weiteren Formen aus der Paläarktis (mit einem Anhang ueber Alysiini) (Hymenoptera, Braconidae, Alysiinae). *Linzer Biologische Beiträge*, 33 (1): 35–82.
- Gonzalez, D., White, W., Hall, J. & Dickson, R. C.** 1978. Geographical distribution of Aphidiidae (Hymenoptera) imported to California for biological control of *Acyrtosiphon kondoi* and *Acyrtosiphon pisum* (Hom.: Aphididae). *Entomophaga*, 23 (3): 239–248.
- Golizadeh, A., Kamali, K., Fathipour, Y., Abbasipour, H. & Lozan, H.**, 2008. Report of the parasitoid wasp, *Cotesia plutellae* (Hym.: Braconidae), from Iran. *Journal of Entomological Society of Iran*, 27 (2), Suplement, 19–20.
- Gonzalez, D., White, W., Hall, J. & Dickson, R. C.** 1978. Geographical distribution of Aphidiidae (Hymenoptera) imported to California for biological control of *Acyrtosiphon kondoi* and *Acyrtosiphon pisum* (Hom.: Aphididae). *Entomophaga*, 23 (3): 239–248.
- Haeselbarth, E.** 1983. Determination list of entomophagous insects. Nr. 9. Bulletin. Section Regionale Ouest Palaearctique, Organisation Internationale de Lutte Biologique, 6 (1): 22–23.
- Hedqvist, K. J.** 1967. Notes on *Ecphylus* Först. and description of two new species (Ichneumonoidea, Braconidae, Doryctinae). *Entomologisk Tidskrift*, 88 (1-2): 66–71.
- Hedwig, K.** 1957. Ichneumoniden und Braconiden aus den Iran 1954 (Hymenoptera). *Jahresheft des Vereins für Vaterländische Naturkunde*, 112 (1): 103–117.
- Hellén, W.** 1956. Zur Kenntniss der Agathidinen Finnlands (Hymenoptera, Braconidae). *Notulae Entomologicae*, 36: 116–125.
- Hellén, W.** 1958. Zur Kenntnis der Braconiden (Hymenoptera) Finnlands. II. Subfamilia Helconinae (Part.). *Fauna Fennica*, 4: 3–37.
- Herard, F., Mercadier, G. & Abai, M.** 1979. Situation de *Lymantria dispar* (Lep.: Lymantriidae) et son complexe parasitaire en Iran, en 1976. *Entomophaga*, 24 (4): 371–384.
- Huddleston, T.** 1984. The Palaearctic species of *Ascogaster* (Hymenoptera: Braconidae). *Bulletin of the British Museum (Natural History), Entomology series*, 49 (5): 341–392.
- Hussain, M., Askari, A. & Asadi, G.** 1976. A study of *Bracon lefröyi* (Hymenoptera: Braconidae) from Iran. *Entomological News*, 87 (9–10): 299–302.
- Jafaripour, M.** 1969. New pistachio wood borer (*Kermania pistaciella* Amsel.). Proceeding 2nd Iranian Plant Protection Congress, Tehran University pp. 124–131.
- Karimpour, Y., Fathipour, Y., Talebi, A. A. & Moharramipour, S.** 2001. Report of two endoparasitoid wasps, *Cotesia ofella* (Nixon) & *C. vanessae* (Reinhard) (Hym.: Braconidae) on larvae of *Simyra dentinosa* Freyer (Lep.: Noctuidae) from Iran. *Journal of Entomological Society of Iran*, 21 (2): 105–106.
- Karimpour, Y., Fathipour, Y., Talebi, A. A. & Moharramipour, S., Horstman, K. & Papp, J.** 2005. New records of two parasitoid wasps of *Simyra dentinosa* Freyer (Lep., Noctuidae) larvae from Iran. *Applied Entomology and Phytopathology*, 73 (1): 37.
- Khanjani, M.** 2004. Field Crop Pests in Iran.- Bu-Ali Sina University Press, Hamadan, Iran, 719 pp.

Khanjani, M. 2006. Vegetable Pests in Iran.- Bu-Ali Sina University Press, Hamadan, Iran, 467 pp.

Khayat-Zadeh, B., Sadeghi, S. E., Ostovan, H., Shojai, M., Moharramipour, S. & Rakhshani, E. 2006. *Aphidius popovi* a new record from Iran. Iranian Journal of Forest & Range Protection Research, 3 (2): 233.

Kokujev, N. R. 1907. Sur quelques espèces de Braconides des collections du Musée zoologique de l'Académie impériale des Sciences. *Ezhegodnik Zoologicheskago Muzeya* [Annales du Musée Zoologique. Académie Impériale des Sciences. St. Petersburg.], 10 (1905): 244–250.

Lotfalizadeh, H. & van Veen, F. 2004. Report of *Alloxysta fuscicornis* (Hym.: Cynipidae), a hyperparasitoid of aphids in Iran. Journal of Entomological Society of Iran, 23 (2): 119–120.

Mackauer, M. 1960. Zur Systematik der Gattung *Trioxys* Haliday (Hymenoptera: Braconidae: Aphidiinae). Beiträge zur Entomologie, 10 (1/2): 137–160.

Mackauer, M. 1960. *Trioxys (Trioxys) vandenboschi* n.sp., ein neuer Blattlaus - Parasit aus dem Iran (Hymenoptera: Braconidae, Aphidiinae). Senckenbergiana Biologica, 41 (5-6): 359–362.

Marsh, P. M., De Macedo, M. V. & Pimental, M. C. P. 2000. Description and biological notes on two new phytophagous species of the genus *Allorhogas* from Brasil (Hymenoptera: Braconidae: Doryctinae). Journal of Hymenoptera Research, 9: 292–297.

Mehrparvar, M., Hatami, B. & Starý, P. 2005. Report of *Aphidius rosae* (Hym.: Braconidae), a parasitoid of rose aphid, *Macrosiphum rosae* (Hom.: Aphididae) from Iran. Journal of Entomological Society of Iran, 25 (1): 63–64.

Modarres Awal, M. 1997. Family Braconidae (Hymenoptera), pp. 265–267. In: (ed.) List of agricultural pests and their natural enemies in Iran. Ferdowsi University Press, 427 pp.

Mojeni, T. D. 1994. An introduction to one parasitoid wasps species and one new hyperparasitoid wasps genus for the fauna of Iran. Journal of Entomological Society of Iran, 14: 79, 20.

Monajemi, N. & Esmaili, M. 1981. Population dynamics of alfalfa aphids and their natural controlling factors, in Karadj. Journal of Entomological Society of Iran, 6 (1-2): 41–63.

Moodi, S. & Mosaddegh, M. S. 2006. Natural enemies of *Aphis fabae* on *Solanum nigrum* plant in Khuzestan province. Proceedings of 17th Iranian Plant Protection Congress, Campus of Agriculture and Natural Resources, University of Tehran, p. 56.

Nikdel, M., Sadeghian, B. & Dordaei, M. 2004. Collection and identification of brown-tail moth's natural enemies in Arasbaran forest. The Joint Agriculture and Natural Resouces Symposium, Tabriz, Ganja: 1–5.

Nixon, G. E. J. 1968. A revision of the genus *Microgaster* Latreille (Hymenoptera: Braconidae). Bulletin of the British Museum (Natural History), Entomology series, 22: 33–72.

Noori, P. 1994. The parasitism trend of the wasp *Habrobracon hebetor* Say on *Chloridea* spp. in chickpea fields of Kermanshah Province. Applied Entomology & Phytopathology, 61 (1-2): 14, 22–30.

Papp, J. 1966. A synopsis of the *Bracon* F. species of the Carpathian Basin (Hymenoptera, Braconidae), I. Subgenus *Glabrobracon* Fahr. Annales Historico-Naturales Musei Nationalis Hungarici, 58: 373–394.

Papp, J. 1967. Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei Braconidae (Hymenoptera). Acta Zoologica Academiae Scientiarum Hungaricae, 13: 191–226.

Papp, J. 1984. Palaearctic species of *Microgaster* Latreille (= *Microplitis* Foerster) with description of seven new species (Hymenoptera, Braconidae, Microgastrinae). Entomologische Abhandlungen, 47: 95–140.

Papp, J. 1986. A survey of the European species of *Apanteles* Först. (Hymenoptera, Braconidae: Microgastrinae). IX. The glomeratus-group, 1. Annales Historico-Naturales Musei Nationalis Hungarici, 78: 225–247.

Papp, J. 1987. A survey of the European species of *Apanteles* Foerster (Hymenoptera, Braconidae: Microgastrinae), X. The glomeratus-group 2 and the cultellatus-group. Annales Historico-Naturales Musei Nationalis Hungarici, 79: 207–258.

- Papp, J.** 1993. New Braconid wasps (Hymenoptera, Braconidae) in the Hungarian Natural History Museum, 4. Source: *Annales Historico-Naturales Musei Nationalis Hungarici*, 84: 155–180.
- Papp, J.** 1996. On the taxonomy of *Microchelonus cycloporus* (Franz 1930) (Insecta: Hymenoptera: Braconidae: Cheloninae). *Senckenbergiana Biologica*, 75 (1–2): 203–206.
- Papp, J.** 1997. Revision of the *Chelonus* s.str. species described by C.G. Thomson (Hymenoptera: Braconidae, Cheloninae). *Stobaeania* (Lund), 10: 1–21.
- Papp, J.** 1999. *Bracon (Glabrobracon) dilatus* sp. n. from Iran and Iraq with taxonomical remarks on several related species (Hymenoptera: Braconidae, Braconinae). *Folia Entomologica Hungarica*, 60: 269–282.
- Pennacchio, F.** 1989. The Italian species of the genus *Aphidius* Nees (Hymenoptera, Braconidae, Aphidiinae). *Bollettino del Laboratorio di Entomologia Agraria Filippo Silvestri*, 46: 75–106.
- Pike, K. S. & Starý, P.** 1996. *Binodoxys conei* sp. n. (Hymenoptera, Braconidae, Aphidiinae), a new parasitoid of hop aphid, *Phorodon humuli* (Schrank) in Washington State. *Journal of the Kansas Entomological Society*, 68 (4) (October 1995): 444–450.
- Rakhshani, E., Talebi, A. A., Kavallieratos, N. & Fathipour, Y.** 2004. Host stage preference, juvenile mortality and functional response of *Trioxys pallidus* (Hymenoptera: Braconidae, Aphidiinae). *Biologia* (Bratislava), 59 (2): 197–203.
- Rakhshani, E., Talebi, A. A., Kavallieratos, N. G., Rezwani, A., Manzari, S. & Tomanovic, Z.** 2005a. Parasitoid complex (Hymenoptera, Braconidae, Aphidiinae) of *Aphis craccivora* Koch (Hemiptera: Aphidoidea) in Iran. *Journal of Pest Science*, 78: 193–198.
- Rakhshani, E., Talebi, A. A., Starý, P., Manzari, S. & Rezwani, A.** 2005b. Redescription and biocontrol information of *Pauesia antennata* (Mukerji) (Hym., Braconidae, Aphidiinae), parasitoid of *Pterochloroides persicae* (Chol.) (Hom., Aphidoidea, Lachnidae). *Journal of the Entomological Research Society*, 7 (3): 59–69.
- Rakhshani, E., Talebi, A. A., Starý, P., Manzari, S., Rezwani, A. & Rakhshani, H.** 2006a. An investigation on alfalfa aphids and their parasitoids in different parts of Iran, with a key to the parasitoids (Hemiptera: Aphididae; Hymenoptera: Braconidae: Aphidiinae). *Journal of Entomological Society of Iran*, 25 (2): 1–14.
- Rakhshani, E., Talebi, A. A., Manzari, S., Rezwani, A., Starý, P. & Tomanovic, Z.** 2006b. Aphid-parasitoid (Hymenoptera: Braconidae: Aphidiinae) associations on willows and poplar in Iran. *Proceedings of 17th Iranian Plant Protection Congress*, Tabriz University, p. 27.
- Rakhshani, E., Talebi, A. A., Starý, P., Tomanovic, Z., Manzari, S., Kavallieratos, N. G. & Etkovic, A. C.** 2006c. A new species of *Aphidius* Nees, 1818 (Hymenoptera, Braconidae, Aphidiinae) attacking *Uroleucon* aphids (Homoptera, Aphididae) from Iran and Iraq. *Journal of Natural History*, 40 (32–34): 1923–1929.
- Rakhshani, E., Talebi, A. A., Manzari, S., Tomanovic, Z., Starý, P. & Rezwani, A.** 2007a. Preliminary study of genus *Praon* Haliday (Hymenoptera, Braconidae, Aphidiinae) in Iran. *Journal of Entomological Society of Iran*, 26 (2): 19–34.
- Rakhshani, E., Talebi, A. A., Starý, P., Tomanovic, Z. & Manzari, S.** 2007b. Aphid-parasitoid (Hymenoptera: Braconidae: Aphidiinae) associations on willows and poplar in Iran. *Acta Zoologica Academiae Scientiarum Hungaricae*, 53 (3): 281–292.
- Rakhshani, E., Talebi, A. A., Starý, P., Tomanovic, Z., Kavallieratos, N. G. & Manzari, S.** 2008a. A review of *Aphidius* Nees (Hymenoptera: Braconidae: Aphidiinae) in Iran: host associations, distribution and taxonomic notes. *Zootaxa*, 1767: 37–54.
- Rakhshani, E., Tomanovic, Z., Starý, P., Talebi, A. A., Kavallieratos, N. G., Zamani, A. A. & Stamenkovic,** 2008b. Distribution and diversity of wheat aphid parasitoids (Hymenoptera: Braconidae: Aphidiinae) in Iran. *European Journal of Entomology*, 105: 863–870.
- Rassipour, A.** 1983. Etude biologique d'*Apanteles chilonis* Mun. (Hym.: Braconidae) en vue de la lutte biologique contre la pyrale du riz, *Chilo suppressalis* Walk. (Lep.: Pyralidae). *Bulletin Plant Protection Org. Iran*, 29: 1–24.

- Sabzevari, A.** 1968. Lepidopterous pest on apricot. Proceeding of 1st Iranian Plant Protection Congress, Tehran University, pp. 63–80.
- Sharkey, M. J.** 1998. Agathidinae. In: Ler, P.A. Key to the insects of Russian Far East. Vol. 4. Neuropteroidea, Mecoptera, Hymenoptera. Pt 3, 708 pp., pp. 520–531.
- Shaw, M. R. & Huddleston, T.** 1991. Classification and biology of braconid wasps (Hymenoptera: Braconidae). Handbooks for the Identification of British Insects, 7: 1–126.
- Shenefelt, R. D. & Marsh, P. M.** 1976. Braconidae 9. Doryctinae. Hymenopterorum Catalogus (nova editio). Pars 13. pp. 1263–1424.
- Shenefelt, R. D.** 1978. Braconidae 10. Braconinae, Gnathobraconinae, Mesestoinae, Pseudodicogeniinae, Telengainae, Ypsistocerinae, plus Braconidae in general, major groups, unplaced genera and species. Hymenopterorum Catalogus (nova editio). Pars 15. pp. 1425–1872.
- Shestakov, A.** 1926. [Species palaearcticae novae Braconidarum subfamiliae Braconinarum (Hymenoptera)]. Entomologicheskoye Obozreniye, 19: 208–212.
- Siahpush, A., Rabee, R., Nazemi, B., Azimi, A. & Mozaffari, M.** 1993. Introduction of five hymenopterous wasps parasitizing the larvae of *Mythimna loreyi* (Dup.) (Lep.: Noctuidae) at Khuzestan corn fields. Proceeding of the Plant Protection Congress, Rasht, Guilan University, p. 90.
- Simbolotti, G. & van Achterberg, C.** 1992. Revision of the west Palaearctic species of the genus Bassus (Hymenoptera: Braconidae). Zoologische Verhandelingen. No. 281. 80 pp.
- Starý, P.** 1974. Taxonomy, origin, distribution and host range of *Aphidius* species (Hym., Aphidiidae) in relation to biological control of the pea aphid in Europe and North America. Zeitschrift für Angewandte Entomologie, 77: 141–171.
- Starý, P.** 1975. *Aphidius colemani* Viereck: its taxonomy, distribution and host range. Acta Entomologica Bohemoslovaca, 72: 156–163.
- Starý, P.** 1979. Aphid parasites (Hymenoptera, Aphidiidae) of the Central Asian area. Dr. W. Junk, B.V. The Hague, 105 pp.
- Starý, P.** 1981. Biosystematic synopsis of parasitoids on cereal aphids in the western Palearctic (Hymenoptera, Aphidiidae, Homoptera, Aphididae). Acta Entomologica Bohemoslovaca, 78: 382–396.
- Starý, P. & Gonzalez, D.** 1978. Parasitoid spectrum of *Acyrthosiphon* - aphids in Central Asia (Hymenoptera: Aphidiidae). Entomologica Scandinavica, 9 (2): 140–145.
- Starý, P., Gonzalez, D. & Hall, J. C.** 1980. *Aphidius eadyi* n.sp. (Hymenoptera: Aphidiidae), a widely distributed parasitoid of the pea aphid, *Acyrthosiphon pisum* (Harris) in the Palearctic. Entomologica Scandinavica, 11: 473–480.
- Starý, P., Remaudière, G., Gonzalez, D. & Shahrokhī, S.** 2000. A review and host associations of aphid parasitoids (Hym., Braconidae, Aphidiinae) of Iran. Parasitica (Gembloix), 56 (1): 15–41.
- Starý, P., Rakhshani, E. & Talebi, A. A.** 2005. Parasitoids of aphid pests on conifers and their state as biocontrol agents in the Middle East to Central Asia on the world background (Hym., Braconidae, Aphidiinae; Hom., Aphidiidae). Egyptian Journal Biological Pest Control, 15 (2): 147–151.
- Szépligeti, G.** 1901. Tropischen Cenocoeliden und Braconiden aus der Sammlung des Ungarischen National-Museums. Természetrájzi Füzetek, 24: 353–402.
- Taege, A.** 1989. Die *Orgilus*-Arten der Paläarktis (Hymenoptera, Braconidae). Arbeit aus dem Institut für Pflanzenschutzforschung Kleinmachnow, Bereich Eberswalde. Berlin, 260 pp.
- Telenga, N. A.** 1936. Braconidae. Pt. 1. Hymenoptera. Fauna USSR. Hymenoptera 5(2), Moskva-Leningrad: Akademiya nauk SSSR. 402 pp.
- Telenga, N. A.** 1941. Family Braconidae, subfamily Braconinae (continuation) and Sigalphinae. Fauna USSR. Hymenoptera 5(3). Moskva-Leningrad: Akademiya nauk SSSR. 466 pp.

Telenga, N. A. 1955. Braconidae, subfamily Microgasterinae, subfamily Agathinae. Fauna USSR, Hymenoptera 5(4), 311 pp. [Translated from Russian by Israel Program for Scientific Translation, Jerusalem, 1964].

Tobias, V. I. 1961. [On the fauna of the parasitic Braconids (Hymenoptera, Braconidae) of Siberia, the Far East, and Mongolia.] Izvest. Sibir. Otdel. Akad. Nauk. SSSR, 11: 121-129.

Tobias, V. I. 1961. Taxonomy and biology of the genera *Bracon* F. and *Habrobracon* Ashm. (Hymenoptera, Braconidae). Trudy Vsesoyuznogo Entomologicheskogo Obshchestva, 48: 129-180.

Tobias, V. I. 1976. [Braconids of the Caucasus (Hymenoptera, Braconidae).] (in Russian) Opred. Faune SSSR. Nauka Press. Leningrad 110, 286 pp.

Tobias, V. I. 1986. Subfam. Euphorinae. In: Medvedev G.S. (ed.) 'Opredelitel Nasekomych Evrospeiskoi Tsasti SSSR 3, Peredpontdatokrylye 4. Opr. Faune SSSR. 145: 1-501. [Keys to the insects of the European part of USSR. Hymenoptera].

Tobias, V. I. 2001. Species of the genus *Microchelonus* Szépl. (Hymenoptera, Braconidae) with yellow abdominal spots and pale coloration of the body from the western Palaearctic region. Entomologicheskoye Obozreniye, 80: 137-179.

Tomanovic, Z., Rakhshani, E., Starý, P., Kavallieratos, N. G., Stanisavljevic, L., Zikic, V. & Athanassiou, C. 2007. Phylogenetic relationships between the genera *Aphidius* and *Lysaphidius* (Hymenoptera: Braconidae: Aphidiinae) with description of *Aphidius iranicus* sp.nov. The Canadian Entomologist, 139: 297-307.

Van den Bosch, R. 1957. The spotted alfalfa aphid and its parasites in the Mediterranean region, Middle East, and East Africa. Journal of Economic Entomology, 50 (3): 352-356.

Wharton, R. A. 1993. Bionomics of the Braconidae. Annual Review of Entomology, 38: 121-143.

Wharton, R. A., Marsh, P. M. & Sharkey, M. J. 1997. Manual of the new world genera of the family Braconidae (Hymenoptera). Special Publication 1. International Society of Hymenopterists, Washington, D.C. USA, pp. 439.

Yaghobi, A. & Sahragard, A. 1998. Introduction of Aphidiidae (parasitoid of aphids) in Guilan province. 13th Iranian Plant Protection Congress, Karaj Junior College of Agriculture, p. 257.

Yu, D. S., Achterberg, C. van & Horstmann, K. 2006. World Ichneumonoidea 2005. Taxonomy, biology, morphology and distribution [Braconidae]. Taxapad 2006 (Scientific names for information management) Interactive electronical catalogue on DVD/CD-ROM. Vancouver.

Zettel, H. 1990. [Description of four new *Phanerotoma* species from eastern Asia with a key for identifying the oriental species (Hymenoptera: Braconidae, Cheloninae)]. Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen, 42 (3-4): 110-120.