

## SCIENTIFIC NOTES

**MALE GENITALIAE OF *DORCADION NARLIANUM*  
ÖZDİKMEN ET AL., 2012 AND *DORCADION HALEPENSE*  
*SEHITKAMILENSE* ÖZDİKMEN ET AL., 2012  
(COLEOPTERA: CERAMBYCIDAE)**

**Hüseyin Özdikmen\*, Nihal Mercan\* and Naciye Cihan\***

\* Gazi Üniversitesi, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, 06500 Ankara / TÜRKİYE. E-mail: ozdikmen@gazi.edu.tr

[Özdikmen, H., Mercan, N. & Cihan, N. 2012. Male genitaliae of *Dorcadion narlianium* Özdikmen et al., 2012 and *Dorcadion halepense sehitkamilense* Özdikmen et al., 2012 (Coleoptera: Cerambycidae). Munis Entomology & Zoology, 7 (2): 1276-1277]

A new species *Dorcadion narlianium* and a new subspecies *Dorcadion halepense sehitkamilense* were recently described by Özdikmen, Mercan & Cihan (2012a,b) from Kahramanmaraş and Gaziantep provinces in Southern Turkey on the base of one specimen and two specimens respectively. The original descriptions does not include genital morphologies. So, male genitaliae of *Dorcadion narlianium* Özdikmen et al., 2012 and *Dorcadion halepense sehitkamilense* Özdikmen et al., 2012 are presented as the first time in the present work (Figs. 1 and 2). Besides, a sexual correction for the original descriptions of *D. narlianium* and *D. halepense sehitkamilense* (Coleoptera: Cerambycidae) are also presented in the present text. In the original description, sex of the specimen of *D. narlianium* was given as female wrongly. Whereas, sex of the specimen is male [see postpygidium in Fig. 1C in Özdikmen et al. (2012)]. So, it should be changed as male. Besides, sex of the specimen (allotype ♀) of *D. halepense sehitkamilense* that has not postpygidium and has shorter antennal length, was given as female. After the preparation of genitalia, it determined as male. So, it should be also changed as male.

Changed parts in the texts are underlined as follows:

In Özdikmen et al. (2012a),

**PRINTED*****Dorcadion (Cribridorcadion) narlianium* sp. n.**

**Type serie.** Holotype ♀: Turkey, Kahramanmaraş prov.: 5 km S of Narlı, N 37 19 E 37 10, 07.III.2008.

Male unknown.

**MUST BE*****Dorcadion (Cribridorcadion) narlianium* sp. n.**

**Type serie.** Holotype ♂: Turkey, Kahramanmaraş prov.: 5 km S of Narlı, N 37 19 E 37 10, 07.III.2008.

Female unknown.

In Özdikmen et al. (2012b),

**PRINTED*****Dorcadion halepense sehitkamilense* ssp. n.**

**Material examined.** Holotype ♂: Turkey, Gaziantep prov.: Şehitkamil, N 37 05 E 36 57, 28.III.2008. Allotype ♀: Turkey, Kilis prov.: Kesmelik district, N 36 44 E 37 07, 01.III.2008.

**MUST BE*****Dorcadion halepense sehitkamilense* ssp. n.**

**Material examined.** Holotype ♂: Turkey, Gaziantep prov.: Şehitkamil, N 37 05 E 36 57, 28.III.2008. Paratype ♂: Turkey, Kilis prov.: Kesimalik district, N 36 44 E 37 07, 01.III.2008.

Female unknown.

**ACKNOWLEDGEMENT**

The authors thanks to M. L. Danilevsky (RUSSIA) for his attention and communication.

**LITERATURE CITED**

Özdikmen, H., Mercan, N. & Cihan, N. 2012a. A new species of *Dorcadion* Dalman, 1817 from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology*, 7 (1): 550-554.

Özdikmen, H., Mercan, N. & Cihan, N. 2012b. A new subspecies of *Dorcadion halepense* (Kraatz, 1873) from South Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology*, 7 (1): 604-606.




Figure 1. Male genitalia of *Dorcadion narlianum* Özdikmen et al., 2012: A. Apex of aedeagus, B. Aedeagus (ventral view), C. Parameres, D. Apex of parameres, setae and basal piece.




Figure 2. Male genitalia of *Dorcadion halepense sehitkamilense* Özdikmen et al., 2012: A. Apex of aedeagus, B. Aedeagus (ventral view), C. Parameres, D. Apex of parameres, setae and basal piece.